

AXOPAR 37 SUN-TOP



TECHNICAL SPECIFICATIONS

Overall length (excl. engines)	11,5 m / 37ft 9in
Beam	3,35 m / 9ft 8in
Draft to props	0,85 m / 2ft 9in
Weight (excl. engines)	3.590 kg / 7.915 lbs
Passengers / Berths	B:10 - C:12 / 2 (+2)* persons
Fuel capacity	730 liters / 193 gal
Construction	GRP
Classification	B - Offshore / C - Coastal
Max speed range	38 - 48 knots
Max cruise range	300 nm (2x 300hp Mercury V8, 30 knots)
Outboard engines	2 x 225 - 2 x 350hp
Fuel consumption, cruise	2,3 l/nm (2x 300hp Mercury, 28 knots)
Hull design	Twin stepped 20 degree V "Sharp entry bow"



Renders shown w. optional equipment

*Only w. optional aft cabin **

Specifications may be changed w.out prior notice. Performance may vary due to engines, equipment on board, weather and load conditions.

AXOPAR 37 SUN-TOP

STANDARD EQUIPMENT

GENERAL

- Hand laminated hull in Vinylester resin for the first coat for osmosis prevention of the hull in GRP material
- Twin-stepped hull w. "sharp entry bow"
- Integrated engine bracket in hull for outboard engines
- Fixed aluminum fuel tank 730l w. overflow prevention
- Fresh water tank 100l
- Heavy-duty rub rail w. rubber end caps in grey
- Heavy-duty rub rail around swim platforms
- Axopar 3D signature chrome logo on both sides of hull
- Bow thruster tunnel preparation in hull
- Walk-around deck layout w. open aft deck
- Anti-skid finishing on working deck areas and deck hatches
- Self-draining deck area w. quick drain aft deck
- Self-bailing cockpit & helm area
- All hardware, pulpits, locks, hinges, filler caps & cockpit grab rails in 316 stainless steel
- 8 x cleats on aft, midships and fore deck
- Additional hooking points for safety harness around side deck areas
- Fore deck pulpits, short
- LED navigation lights on fore deck
- Spacious anchor locker w. drainage in bow
- Rope holders in anchor locker on fore deck & fender storages
- Sofa w. backrest on fore deck incl. harbor cover
- Large skylight w. oceanair curtain
- Flush mounted 2 x skylights incl. harbor cover
- Toughened glass windscreen and side windows in light green tint w. illuminated 37 signature
- Aluminium window frame painted in white
- Heavy-duty pantograph windscreen wiper
- Windshield washer w. separate reservoir
- Integrated boarding steps on both sides of helm
- Extended Sun-Top roof in white GRP w. large opening canvas roof

- Harbour cover for opening canvas roof
- Sun-Top roof support structures in white painted aluminium
- Foldable light mast in white painted aluminium w. anchor light
- Twin large fender storages on aft deck w. insulation /cooler boxes
- Aft deck w. large storage compartment
- Battery / electrical compartment under aft deck storage
- Flagpole
- Signal horn
- Two electric bilge pumps w. auto-function
- Manual bilge pump for aft deck section
- Integrated swim platforms and telescopic bathing ladder

FRONT CABIN

- Front cabin w. L-shaped lounge sofa & seating
- Large queen size bed w. soft side bolsters
- All upholstery in Torres Grey fabric
- Roof panels in Vintage Steel fabric
- Portlight towards fore deck w. openable hatch
- Mirror in forward bulkhead
- 2 x foldable wooden shelves beside the bed
- Cabinet upholstered in Vintage Steel fabric w. wenge top
- Mirror above cabinet
- 4 x pop up clothes hangers
- Built-in electric flush toilet under L-sofa w. septic tank 70l and deck/hull outlets
- Main 12V fuse panel w. automatic fuses
- 12V & USB outlet in front cabin
- Fire & CO2 alarms
- 6 x LED roof spotlights
- LED roof light strip between skylights
- Two manual "mushroom" roof vents
- Carpet in black

Specifications may be changed w.out prior notice. Performance may vary due to engines, equipment on board, weather and load conditions.

AXOPAR 37 SUN-TOP

STANDARD EQUIPMENT

HELM

- Clean - Helm layout
- Dashboard & console top panels in dark grey soft touch finish
- Center console panels in black high-gloss finish
- Control switch panel in glass w. illuminated push buttons
- Main control panel w. remote controlled battery switches
- Steering wheel in leather w. Axopar logo
- Lockable access hatch to front cabin w. grab rail in leather
- Sliding door to front cabin in dark grey soft touch finish
- Cup holder on dashboard
- Splash proof USB outlet in console wall
- Document pocket on console wall
- Footrest in stainless steel & support w. Axopar logo
- Lowered floor level at helm section
- 2 x LED deck lights in helm floor

COCKPIT

- Large sociable seating area w. seven sports seats w. mid section in diamond pattern stitching
- Rotating & length adjustable front seats w. flip-up bolster
- Extendable table w. fixed height in white GRP
- Threshold free aft cockpit area
- Storage compartment under centre aft seats
- Aft-facing cushioned perch behind seating area
- 2 x storage compartments under cockpit table
- Grab rail under roof above cockpit table
- 6 x recessed LED roof lights
- 2 x LED deck lights in cockpit floor
- Silvertex Sterling on all seats and upholstery
- Harbour covering for helm and front seats
- Harbour covering for aft seats
- Harbour cover for cockpit table

Specifications may be changed w.out prior notice. Performance may vary due to engines, equipment on board, weather and load conditions.



Axopar 37 ST MY 2020 2 x Mercury V8 300 Verado



Date	29.10.2019	Temp	7°C	Engine	Mercury Verado
Location	Augustow, Poland	Wind	5-6 m/s	Power	300 hp/221 kW
Drive	HD 5.44 camber	Test weight kg	4820	Engine type	V8
Gear ratio	1,85	Persons	2	Cylinder volume	4.6L
Fuel (liter)	460	Water (liter)	0	Full throttle rpm	5000-6000
Propeller	Type	Front/LH	Rear/RH	Dry weight kg	277 kg
Blades	Enertia Eco	8M0127044	8M0127045	Dry weight includes gear lube and steering cylinder	
3	Diameter (inches)	16	16		
	Pitch (inches)	19	19		
Notes	Axopar 37ST MY20 2 x Mercury V8 300 Enertia Eco 19" No Antifouling Engine separation 30" (762mm) Mounting height; 2nd hole.				



Average of two directions			
Rpm	L/h Total	Knots	L/nm
Idle	5,9	2,8	2,09
1000	10,1	5,1	1,97
1500	16,4	7,3	2,26
2000	26,8	9,2	2,93
2500	34,0	12,1	2,81
3000	44,5	17,8	2,50
3500	59,5	27,3	2,18
3800	69,5	30,5	2,28
4000	76,9	32,6	2,36
4200	82,5	34,6	2,39
4500	93,6	37,5	2,50
4800	106,8	40,1	2,66
5000	113,3	41,8	2,71
5400	153,9	44,9	3,43
6013	187,8	49,8	3,77
WOT rpm/Speed/Direction	RPM	Speed kn	
Min rpm/speed	6010	49,6	
Max rpm/speed	6015	50,0	

Mercury Marine Finland

Brunswick Marine in Finland and The Baltic States Oy

Keilasatama 5, 02150 Espoo / p. 09-439 0150 / fax. 09-439 01 555 / www.mercurymarine.com

This data is internal to Brunswick.



Mercury Marine Finland

Brunswick Marine in Finland and The Baltic States Oy

Keilasatama 5, 02150 Espoo / p. 09-439 0150 / fax. 09-439 01 555 / www.mercurymarine.com

This data is internal to Brunswick.

AXOPAR 37 - SUN-TOP

